



1.DIMENSION (UNIT mm)




- \* NO INCLUDE TERMINAL DIMENSION.
- \* DIMENSION WITHOUT TOLERANCE ARE APPROX.

### 2.CONNECTION (BOTTOM)




3. STAMP (EXP.)



### 4. NOTE

- \* RECOMMENDED REFLOW CONDITIONS ARE BASED ON S-074-5003.
- \* ENCLOSING CONDITION OF COILS.



## TAPE DIRECTION OF FEED

\* CARRIER TAPE PACKING SPECIFICATION IN DETAIL. (S-074-5075)

29 th.	Ju1,.	1999	SUMIDA COD	Е	4 7 6 0			
СНК.	СНК.	DRG.				DRG.	NO.	2/5
CHEN ZHAOHU I	HE GUOGAO	YANG XIANYU YL					S-074-6073	}

# GENERAL CHARACTERISTICS

TYPE

CDRH5D18

1. OPERATING TEMPERATURE RANGE:  $-40^{\circ}$ C  $\sim$  +85°C (CONTAIN HEATING COIL)

2. STORAGE TEMPERATURE RANGE : -40℃ ~ +85℃

3. EXTERNAL APPEARANCE : NO EXTERNAL DEFECTS CAN BE FOUND IN THE VISUAL INSPECTION.

4. TERMINAL STRENGTH : NO TERMINAL DETACHMENT SHOULD BE FOUND WHEN

THE DEVICE IS PUSHED IN TWO DIRECTIONS OF X AND Y WITH THE FORCE OF 5. ON FOR  $10\pm5$  SECONDS AFTER SOLDERING BETWEEN COPPER

PLATE AND THE TERMINALS. (REFER TO FIGURE AT RIGHT)

5. HEAT ENDURANCE TEST : REFER TO S-074-5002.

6. TEMPERATURE FEATURE : INDUCTANCE COEFFICIENT IS (  $0\sim2000$  )  $\times10^{-6}$ /°C (  $-40\sim+85$ °C )

7. HUMIDITY TEST : INDUCTANCE DEVIATION IS WITHIN  $\pm 5.0\%$  AND NO STRUCTURE AND ELECTRIC

DEFECTS CAN BE FOUND AFTER 96 HOURS TEST UNDER THE CONDITION OF RELATIVE HUMIDITY OF  $90{\sim}95\%$  AND TEMPERATURE OF  $40\pm2\%$ , AND 1 HOUR STORAGE UNDER ROOM AMBIENT CONDITIONS AFTER THE DEVICE IS WIPED WITH

DRY CLOTH.

8. VIBRATION TEST : INDUCTANCE DEVIATION IS WITHIN  $\pm 2.0\%$  AFTER 1 HOUR SWEEPING VIBRATION

IN EACH THREE DIRECTIONS, NAMELY, FORWARD AND BACKWARD, UP AND DOWN, RIGHT AND LEFT. THE FREQUENCY IS  $10\sim55\sim10$ Hz AND THE AMPLITUDE OF

1 MINUTE CYCLE IS 1.5mm PP.

9. SHOCK TEST : INDUCTANCE DEVIATION IS WITHIN  $\pm 2.0\%$  AFTER THE TEST WITH GOM-BLOCK

SHOCK TESTING MACHINE. ONCE IN EACH OF THE THREE PERPENDICULAR AXIS

DIRECTIONS. THE SHOCK ACCELERATION IS 981m/s<sup>2</sup>.

10. SOLDER ABILITY : ELECTRODES ARE IMMERSED IN ROSIN (JIS-K-5902) WITH METHANOL

(JIS-K-1501) (25%) FOR 5 SECONDS. THEN DIPPED IN  $230\pm5\%$  MOLTEN SOLDER (JIS-Z- 3282 H63A) FOR  $2\pm0.5$  SECONDS. 95% OF THE AREAS OF THE IMMERSED

ELECTRODES SHOULD BE COVERD BY SOLDER COATING.

11. HIGH TEMPERATURE : INDUCTANCE DEVIATION IS WITHIN  $\pm 3.0\%$  AND NO STRUCTURE AND ELECTRIC

DEFECTS CAN BE FOUND AFTER  $500\pm12$  HOURS TEST UNDER THE CONDITION OF TEMPERATURE OF  $85\pm2\%$  AND RATED CURRENT LOADED AND 1 HOUR STORAGE UNDER ROOM AMBIENT CONDITIONS AFTER WHICH DEVICE IS TESTED WITHIN

THE NEXT 2 HOURS.

12. LOW TEMPERATURE : INDUCTANCE DEVIATION IS WITHIN  $\pm 3.0\%$  AND NO STRUCTURE AND ELECTRIC DEFECTS CAN BE FOUND AFTER  $500\pm12$  HOURS TEST UNDER THE CONDITION

DEFECTS CAN BE FOUND AFTER  $500\pm12$  HOURS TEST UNDER THE CONDITION OF TEMPERATURE OF  $-25\pm3\%$  AND RATED CURRENT LOADED AND 1 HOUR STORAGE UNDER ROOM AMBIENT CONDITIONS AFTER WHICH DEVICE IS TESTED WITHIN

3/5

THE NEXT 2 HOURS.

29th. Jul, . 1999

LOAD LIFE TEST

20 111.	J a 1, .	1000	_		
СНК.	СНК.	DRG.		DRG.	NO.
CHEN ZHAOHU I	HE GUOGAO	YANG XIANYU YL			S-074-6073

# SPECIFICATION

CDRH5D18

## ELECTRICAL CHARACTERISTICS

NO.	PART NO.	STAMP	INDUCTANCE [WITHIN] ※1	D. C. R. (Ω) [MAX.] (TYP.) (at 20℃) ※2	RATED CURRENT (A) ※3	SUMIDA CODE
1	CDRH5D18-4R1NC	4R1	4. 1 $\mu$ H $\pm$ 30%	57m (42m)	1. 95	4760-0001
2	CDRH5D18-5R4NC	5R4	$5.~4\mu\mathrm{H}~\pm~30\%$	76m (56m)	1. 60	4760-0002
3	CDRH5D18-6R2NC	6R2	6. $2\mu\mathrm{H}~\pm~30\%$	96m (71m)	1. 40	4760-0003
4	CDRH5D18-8R9NC	8R9	$8.~9\mu\mathrm{H}~\pm~30\%$	116m (86m)	1. 25	4760-0004
5	CDRH5D18-1ØØNC	100	$10\mu\mathrm{H}~\pm~30\%$	124m (92m)	1. 20	4760-0005
6	CDRH5D18-12ØNC	120	$12\mu\mathrm{H}~\pm~30\%$	153m (113m)	1. 10	4760-0006
7	CDRH5D18-15ØNC	150	$15\mu\mathrm{H}~\pm~30\%$	196m (145m)	0. 97	4760-0007
8	CDRH5D18-18ØNC	180	$18\mu\mathrm{H}~\pm~30\%$	210m (155m)	0. 85	4760-0008
9	CDRH5D18-22ØNC	220	$22\mu\mathrm{H}~\pm~30\%$	290m (215m)	0. 80	4760-0009
1 0	CDRH5D18-27ØNC	270	$27\mu\mathrm{H}~\pm~30\%$	330m (245m)	0. 75	4760-0010
1 1	CDRH5D18-33ØNC	330	$33\mu\mathrm{H}~\pm~30\%$	385m (285m)	0. 65	4760-0011
1 2	CDRH5D18-39ØNC	390	$39\mu\mathrm{H}~\pm~30\%$	520m (385m)	0. 57	4760-0012
1 3	CDRH5D18-47ØNC	470	$47\mu\mathrm{H}~\pm~30\%$	595m (440m)	0. 54	4760-0013
1 4	CDRH5D18-56ØNC	560	$56\mu\mathrm{H}~\pm~30\%$	665m (493m)	0. 50	4760-0014
1 5	CDRH5D18-68ØNC	680	$68\mu\mathrm{H}~\pm~30\%$	840m (622m)	0. 43	4760-0015
1 6	CDRH5D18-82ØNC	820	$82\mu\mathrm{H}~\pm~30\%$	978m (725m)	0. 41	4760-0016
1 7	CDRH5D18-1Ø1NC	101	$100\mu\mathrm{H}~\pm~30\%$	1. 2 (895m)	0. 36	4760-0017

1 MEASURING FREQUENCY

INDUCTANCE

at 10kHz

**※**2 ( ) TYPICAL VALUE.


\*\*3 THE RATED CURRENT INDICATES THE CURRENT WHEN THE INDUCTANCE DECREASES TO 65% OF INITIAL VALUE OR DC CURRENT WHEN THE TEMPERATURE OF COIL IS INCREASED BY 30℃. THE SMALLER ONE IS DEFINED AS RATED CURRENT.

29th. Jul, . 1999

снк.	снк.	DRG.	D	DRG.	NO.	4/5
CHEN ZHAOHUI	HE GUOGAO	YANG XTANYU YL			S-074-6073	}



DIMENSION RECOMMENDED (mm)



29th. Jul, . 1999

снк.	снк.	DRG.	D	DRG.	NO.	5/
CHEN ZHAOHU I	HE GUOGAO	YANG XIANYU YL			S-074-6073	}